

Application No. Applicant(s) 1 MAY ET AL. 10/601,101 Notice of Allowability Examiner Art Unit Stephone B. Allen 2878 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to the amendment filed on 15 August 2005. 2. The allowed claim(s) is/are 1-.35. 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). b) Some* c) None of the: 1. ☐ Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. _____ 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: ... Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date _ (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Attachment(s) 1. Notice of References Cited (PTO-892) 5. Notice of Informal Patent Application (PTO-152) 6. Interview Summary (PTO-413), 2. Notice of Draftperson's Patent Drawing Review (PTO-948) Paper No./Mail Date 7. Examiner's Amendment/Comment 3. X Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit 8. X Examiner's Statement of Reasons for Allowance of Biological Material 9. Other _____.

Application/Control Number: 10/601,101

Art Unit: 2878

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance:

With respect to claim 1, the prior art fails to disclose, either singly or in combination, an apparatus for emitting radiant energy comprising an integrating cavity having an aperture for allowing emission of combined light; a plurality of light sources, each emitting light of a different wavelength, supplying light into the interior of the cavity; and control circuitry establishing output intensity of light of each of the sources to set a specific characteristic of the combined light emitted through the aperture of the cavity.

With respect to claim 32, the prior art fails to disclose, either singly or in combination, an apparatus for emitting light of multiple wavelengths comprising a plurality of first LEDs emitting light of first wavelength, at least one of the first LEDs being initially active and at least one other of the first LEDs being initially inactive; a plurality of second LEDs emitting light of second wavelength different from the first wavelength, at least one of the second LEDs being initially active and at least one other of the second LEDs being initially inactive; a controller operating the first and second LEDs; and a sensor arranged to sense at least one condition relating to the operation of the apparatus, wherein the controller selectively activates one or more of the inactive LEDs in response to the condition sensed by the sensor.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephone B. Allen whose telephone number is 571-272-2434. The examiner can normally be reached on M-F 08:30-5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dave Porta can be reached on 571-272-2444. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

Stephone B Allen Primary Examiner Art Unit 2878

sba